

METAL.IT



tempo acciaio minimale
contemporaneo

Moderna, essenziale e ricercata, **METAL.IT** è una collezione che si ispira all'acciaio spazzolato, graffiato dal costante utilizzo e dall'inesorabile passaggio del tempo.

La collezione è stata ideata per rivestire gli ambienti moderni, cosmopoliti, eleganti e mai scontati.

Luoghi pubblici o privati dove l'involucro rappresenta un contenitore puro ed essenziale per mettere in risalto architetture minimali, rigorose senza mai essere fredde e asettiche.

Il nome selezionato per la serie intende sottolineare la grande attualità del design contemporaneo italiano.

*Modern, simple and sophisticated, **Metal.it** is a collection inspired by brushed steel, scratched with constant use and the inexorable passage of time.*

The collection is designed for modern, cosmopolitan interiors which are elegant and never banal.

Public or private locations where the building's shell becomes a pure, simple container, emphasising minimalist architectural forms which are severe but never cold or sterile.

The name chosen for the series is intended to underline the trendiness of Italian contemporary design.



C37M0R
Platinum Nat. Rett.
120x120 - 47^{1/4}"x47^{1/4}"




807MPOP
Platinum Lapp. Rett.
80x80 - 31^{1/2}"x31^{1/2}"






C37MOP
Platinum Lapp. Rett.
120x120 - 47^{1/4}"x47^{1/4}"



residential modern suburban house



Z307M9R
Black Nickel Nat. Mosaico Tip Tap
30x30 - 11^{13/16}"x11^{13/16}"



residential contemporary apartment

987M0R
Platinum Nat. Rett.
60x120 - 23^{5/8}"x47^{1/4}"

contemporary family house

residential

607MOR
Platinum Nat. Rett.
60x60 - 23^{5/8}"x23^{5/8}"

987E2R
Corten Nat. Rett. Metal Style
60x120 - 23^{5/8}"x47^{1/4}"






public metropolitan bar

C37MOP
Platinum Lapp. Rett.
120x120 - 47^{1/4}x47^{1/4}"



C37M1R
Steel Nat. Rett.
120x120 - 47^{1/4}"x47^{1/4}"



residential

contemporary
country house

C37M1R
Steel Nat. Rett.
120x120 - 47^{1/4}"x47^{1/4}"

987E5R
Calamine Nat. Rett. Metal Style
60x120 - 23^{5/8}"x47^{1/4}"



987M1R
Steel Nat. Rett.
60x120 - 23^{5/8}"x47^{1/4}"

987R5R
Calamine Nat. Rett. Metal Style
60x120 - 23^{5/8}"x47^{1/4}"

607M1R
Steel Nat. Rett.
60x60 - 23^{5/8"}x23^{5/8"}

987E5R
Calamine Nat. Rett. Metal Style
60x120 - 23^{5/8"}x47^{1/4"}



C37M1R
Steel Nat. Rett.
120x120 - 47^{1/4}"x47^{1/4}"



public
modern library

987M9R
Black Nickel Nat. Rett.
60x120 - 23^{5/8} x 47^{1/4}"



residential metropolitan loft






607M9R
Black Nickel Nat. Rett.
60x60 - 23^{5/8} x 23^{5/8}"

637M1RC
Steel Twist Nat. Rett.
30x60 - 11^{13/16} x 23^{5/8}"

Z307M9R
Black Nickel Mosaico Tip Tap Nat.
30x30 - 11^{13/16} x 11^{13/16}"

modern house

residential





607M9R
Black Nickel Nat. Rett.
60x60 - 23^{5/8}"x23^{5/8}"



637M1RC
Steel Twist Nat. Rett.
30x60 - 11^{13/16}"x23^{5/8}"




urban penthouse residential

807M9R
Black Nickel Nat. Rett.
80x80 - 31¹/₂"x31¹/₂"

C37M9R
Black Nickel Nat. Rett.
120x120 - 47^{1/4}"x47^{1/4}"


987M1R
Steel Nat. Rett.
60x120 - 23^{5/8}"x47^{1/4}"

industrial art caffè **public**





987M9R
Black Nickel Nat. Rett.
60x120 - 23^{5/8} x 47^{1/4}"



public contemporary hair&makeup studio

metal.it

COLORS

introducing
trims

platinum

SIZES

steel

black
nickel

platinum

FORMATI


SIZES / FORMATS / FORMATE / TAMAÑOS / ФОРМАТЫ




120x120 (47^{1/4}"x47^{1/4}")
C37MOR PLATINUM NAT. RETT. ● 95
C37MOP PLATINUM LAPP. RETT. ● 104




80x80 (31^{1/2}"x31^{1/2}")
807MOR PLATINUM NAT. RETT. ● 89
807MOP PLATINUM LAPP. RETT. ● 96



60x120 (23^{5/8}"x47^{1/4}")
987MOR PLATINUM NAT. RETT. ● 89
987MOP PLATINUM LAPP. RETT. ● 96



60x60 (23^{5/8}"x23^{5/8}")
607MOR PLATINUM NAT. RETT. ● 73
607MOP PLATINUM LAPP. RETT. ● 83



30x60 (11^{13/16}"x23^{5/8}")
637MOR PLATINUM NAT. RETT. ● 66
637MOP PLATINUM LAPP. RETT. ● 74

Si consiglia la posa con fuga 2 mm. - Laying with a 2 mm-joint is recommended.
 Pose recommandée avec joints de 2 mm. - Es wird eine Fugenbreite von 2 mm empfohlen.
 Se recomienda la colocación con juntas de 2 mm. - Рекомендуется укладка с швом 2 мм.

DECORI

DECORS / DECORS / DEKORE / DECORADOS / ДЕКОРЫ

Decoro Twist



30x60 (11^{13/16}"x23^{5/8}")
637MORC PLATINUM NAT. RETT. ● 75
 Pcs. Box. 6

Listelli sfalsati*



30x60 (11^{13/16}"x23^{5/8}")
M637MOR PLATINUM NAT. ● 113

Mosaico 5x5*

Tessera - Chip 4,8x4,8
 (1^{7/8}"x1^{7/8}")



30x30 (11^{13/16}"x11^{13/16}")
I307MOR PLATINUM NAT. ● 130

Mosaico Tip Tap*

Tessera - Chip 2,85x2,85 - 2,4x2,4
 (1^{1/8}"x1^{1/8}" - 15/16"x15/16")



30x30 (11^{13/16}"x11^{13/16}")
Z307MOR PLATINUM NAT. ● 142
Z307MOP PLATINUM LAPP. ● 145

* Su rete in fibra - On fibre mesh backing - Sur filet en fibre de verre
 Auf Glasfasernetz - Sobre malla de fibra - На волоконной сетке

steel

FORMATI

SIZES / FORMATS / FORMATE / TAMAÑOS / ФОРМАТЫ



120x120 (47^{1/4}"x47^{1/4}")
C37M1R STEEL NAT. RETT. ● 95
C37M1P STEEL LAPP. RETT. ● 104



80x80 (31^{1/2}"x31^{1/2}")
807M1R STEEL NAT. RETT. ● 89
807M1P STEEL LAPP. RETT. ● 96



60x120 (23^{5/8}"x47^{1/4}")
987M1R STEEL NAT. RETT. ● 89
987M1P STEEL LAPP. RETT. ● 96



60x60 (23^{5/8}"x23^{5/8}")
607M1R STEEL NAT. RETT. ● 73
607M1P STEEL LAPP. RETT. ● 83



30x60 (11^{13/16}"x23^{5/8}")
637M1R STEEL NAT. RETT. ● 66
637M1P STEEL LAPP. RETT. ● 74

Si consiglia la posa con fuga 2 mm. - Laying with a 2 mm-joint is recommended.
 Pose recommandée avec joints de 2 mm. - Es wird eine Fugenbreite von 2 mm empfohlen.
 Se recomienda la colocación con juntas de 2 mm. - Рекомендуется укладка с швом 2 мм.

DECORI

DECORS / DECORS / DEKORE / DECORADOS / ДЕКОРЫ

Decoro Twist



30x60 (11^{13/16}"x23^{5/8}")
637M1RC STEEL NAT. RETT. ● 75
 Pcs. Box. 6

Listelli sfalsati*



30x60 (11^{13/16}"x23^{5/8}")
M637M1R STEEL NAT. ● 113

Mosaico 5x5*

Tessera - Chip 4,8x4,8
 (1^{7/8}"x1^{7/8}")



30x30 (11^{13/16}"x11^{13/16}")
I307M1R STEEL NAT. ● 130

Mosaico Tip Tap*

Tessera - Chip 2,85x2,85 - 2,4x2,4
 (1^{1/8}"x1^{1/8}" - 15/16"x15/16")



30x30 (11^{13/16}"x11^{13/16}")
Z307M1R STEEL NAT. ● 142
Z307M1P STEEL LAPP. ● 145

* Su rete in fibra - On fibre mesh backing - Sur filet en fibre de verre
 Auf Glasfasernetz - Sobre malla de fibra - На волоконной сетке

FORMATI

SIZES / FORMATS / FORMATE / TAMAÑOS / ФОРМАТЫ

black
nickel



120x120 (47^{1/4}"x47^{1/4}")
C37M9R BLACK NICKEL NAT. RETT. ● 95
C37M9P BLACK NICKEL LAPP. RETT. ● 104



80x80 (31^{1/2}"x31^{1/2}")
807M9R BLACK NICKEL NAT. RETT. ● 89
807M9P BLACK NICKEL LAPP. RETT. ● 96



60x120 (23^{5/8}"x47^{1/4}")
987M9R BLACK NICKEL NAT. RETT. ● 89
987M9P BLACK NICKEL LAPP. RETT. ● 96



60x60 (23^{5/8}"x23^{5/8}")
607M9R BLACK NICKEL NAT. RETT. ● 73
607M9P BLACK NICKEL LAPP. RETT. ● 83



30x60 (11^{13/16}"x23^{5/8}")
637M9R BLACK NICKEL NAT. RETT. ● 66
637M9P BLACK NICKEL LAPP. RETT. ● 74

Si consiglia la posa con fuga 2 mm. - Laying with a 2 mm-joint is recommended.
 Pose recommandée avec joints de 2 mm. - Es wird eine Fugenbreite von 2 mm empfohlen.
 Se recomienda la colocación con juntas de 2 mm. - Рекомендуется укладка с швом 2 мм.

DECORI

DECORS / DECORS / DEKORE / DECORADOS / ДЕКОРЫ

Decoro Twist



30x60 (11^{13/16}"x23^{5/8}")
637M9RC BLACK NICKEL NAT. RETT. ● 75
 Pcs. Box. 6

Listelli sfalsati*



30x60 (11^{13/16}"x23^{5/8}")
M637M9R BLACK NICKEL NAT. ● 113

Mosaico 5x5*


Tessera - Chip 4,8x4,8
 (1^{7/8}"x1^{7/8}")



30x30 (11^{13/16}"x11^{13/16}")
I307M9R BLACK NICKEL NAT. ● 130

Mosaico Tip Tap*

Tessera - Chip 2,85x2,85 - 2,4x2,4
 (1^{1/8}"x1^{1/8}" - 15/16"x15/16")











30x30 (11^{13/16}"x11^{13/16}")
Z307M9R BLACK NICKEL NAT. ● 142
Z307M9P BLACK NICKEL LAPP. ● 145


* Su rete in fibra - On fibre mesh backing - Sur filet en fibre de verre
 Auf Glasfasernetz - Sobre malla de fibra - На волоконной сетке



M637M9R
 Black Nickel Nat.
 30x60 - 11^{13/16}"x23^{5/8}"

CARATTERISTICHE TECNICHE Technical Features - Caracteristiques Techniques Technische Eigenschaften - Caracteristicas Tecnicas - Технические Характеристики	NORMA Standard - Norme Norm - Norma - Норма	VALORI Value - Valeur Vorgabe - Valor - Средние
 PLANARITÀ Flatness - Planéité - Ebenflächigkeit - Planiyud - Плоскостность	UNI EN ISO 10545/2	± 0,26% / ± 1,5mm
	ASTM C485 Warpage	
	Calibrated ± 0,75% (max ± 0,09 in)	-
	Rectified ± 0,40% (max ± 0,05 in-size ≤ 60cm) (max ± 0,07 in-size > 60cm)	± 0,25% (max ± 0,05 in-size ≤ 60cm) (max ± 0,07 in-size > 60cm)
 ASSORBIMENTO D'ACQUA - Valore medio in % Water absorption - Average value expressed in % Absorption d'eau - Valeur moyenne en % Wasseraufnahme - Durchschnittswert in % Absorción de agua - Valor medio en % - Поглощение воды	UNI EN ISO 10545/3 ≤ 0,5 % ASTM C373	Conforme Compliant
 RESISTENZA ALLA FLESSIONE Modulus of rupture - Resistance a la flexion Biegefestigkeit - Resistencia a la flexion - Прочность на изгиб	UNI EN ISO 10545/4	≥ 50 N/mm ²
 FORZA DI ROTTURA Breaking strength - Résistance à la rupture Bruchlast - Resistencia a la rotura - Разрывное усилие	UNI EN ISO 10545/4 ASTM C648	≥ 2000 N 700 LBS
 RESISTENZA AL GELO Frost resistance - Résistance au gel - Frostbeständigkeit Resistencia a las heladas - Морозостойкость	UNI EN ISO 10545/12 ASTM C1026	Conforme Unaffected
 RESISTENZA CHIMICA ad alte e basse concentrazioni di acidi e basi Chemical resistance to high and low acid and basic concentrations Résistance chimique aux hautes et basses concentrations d'acides et de bases Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen Resistencia química con concentraciones altas y bajas de ácidos y bases Химическая стойкость к высоким и низким концентрациям кислот и щелочей	UNI EN ISO 10545/13 ASTM C-650	ULA - UHA - UA Unaffected
 RESISTENZA ALLE MACCHIE Stain resistance - Résistance aux taches - Fleckenbeständigkeit Resistencia a las manchas - Стойкость к образованию пятен	UNI EN ISO 10545/14 CTI 81-7D	5 No Evident Variation
 COEFFICIENTE DI ATTRITO Slip resistance - Coefficient de glissement - Rutschfestigkeit Barfußbereich Coeficiente de atrito medio - Коэффициент трения	DIN 51130 DIN 51097 ANSI A 137.1- 2012 DCOF (Section 9.6) B.C.R.A.	NATURALE R10 B (A+B) Dry ≥ 0,42 Wet ≥ 0,42 ≥ 0,40
		LAPPATO - - - -

Per maggiori chiarimenti sui dati tecnici e sulla garanzia consultare il catalogo generale in vigore. - For further information on technical specifications, please consult our up-dated general catalogue. - Pour toutes informations supplémentaires sur les données techniques et sur les garanties, veuillez consulter le catalogue general en vigueur. - Für weitere Informationen über technische Daten und Garantie beziehen sie sich bitte auf den aktuellen Gesamtkatalog. - Para ultiores informaciones sobre los datos tecnicos y la garantia, vease el catalogo general en vigor. - Более подробную информацию о технических данных и гарантии смотрите в действующем сводном катал.



IMBALLI E PESI Packing and weight - Emballages et poids - Verpackung und gewicht - Embalajes y pesos - УПАКОВКА И ВЕС									
Articolo Item Reference Artikel Articulo Артикула	Formato (cm) Size (cm) Format (cm) Format (cm) Format (cm) Формат (cm)	Spessore (mm) Thickness (mm) Epaisseur (mm) Stärke (mm) Espesor (mm) Толщина (mm)	Pz. x Mq. Pieces x Sqm Pcs / M ² Stk. x Qm Pzs x Mc. Шт. x Кв.М.	Pz. x Scat. Pieces x Box Pcs / Bte Stk. x Krt. Pzs x Caja Шт. x Кор.	Mq. x Scat. Sqm x Box M ² / Bte Qm x Krt. Mc. x Caja Кв.М. x Кор.	Peso x Scat. (Kg) Weight x Box (Kg) Poids / Bte (Kg) Gewicht x Krt. (Kg) Peso x Caja (Kg) Вес x Кор. (Kg)	Scat. x Pal. Boxes x Pal. Bte / Pal. Krt. x Pal. Cajas x Pal. Кор. x Подд.	Mq. x Pal. Sqm x Pal. M ² / Pal. Qm x Pal. Mc. x Pal. Кв.М x Подд.	Peso x Pal. (Kg) Weight x Pal. (Kg) Poids / Pal. (Kg) Gewicht x Pal. (Kg) Peso x Pal. (Kg) Вес x Подд. (Kg)
C37M_R/P	120x120	10	0,69	1	1,440	33,12	30	43,20	994
807M_R/P	80x80	10	1,56	2	1,280	32,00	40	51,20	1280
987M_R/P	60x120	10	1,39	2	1,440	36,20	22	31,68	796
607M_R/P	60x60	10	2,78	3	1,080	25,00	40	43,20	1000
637M_R/P	30x60	10	5,56	6	1,080	25,00	40	43,20	1000
I307M_R	30x30	10	11,11	5	0,450	10,45	60	27,00	627
Z307M_R/P	30x30	10	11,11	5	0,450	10,50	-	-	-
M637M_R	30x60	10	5,56	4	0,720	16,70	30	21,60	501
637M_RC	30x60	10	5,56	6	1,080	25,00	40	43,20	1000





a brand of Emilceramica S.p.A.
Via Ghiarola Nuova, 29
41042 Fiorano Modenese (Mo) - Italia
Tel. +39 0536 835111
Fax Italia: +39 0536 835955
Fax Export: + 39 0536 835358
info@emilceramicagroup.it
www.ergontile.com