

## **SWEET BARS**

Is there anything better than being surrounded by niceness?

Chic matt colours, fresh and vibrant translucents, earthy organic clays, rich deep minerals or even altogether fused in harmony

***Flavour your day and nourish your senses!***

-

*¿Hay algo mejor que estar rodeado de belleza?*

*Colores chic, frescos y brillantes translúcidos ,colores mate, arcillas y minerales de tonos intensos o la armoniosa fusión de todos ellos.*

***Saborea tu día y nutre tus sentidos!***



|   |                |
|---|----------------|
| <b>01.</b><br>SIZES, COLOURS AND FINISHES /<br>FORMATOS, COLORES Y ACABADOS | <i>pag. 4</i>  |
| <b>02.</b><br>GET INSPIRED /<br>INSPIRATE                                   | <i>pag. 16</i> |
| <b>03.</b><br>PACKING   | <i>pag. 38</i> |
| <b>04.</b><br>PRICE CODE<br>CÓDIGO DE TARIFA                                | <i>pag. 39</i> |
| <b>05.</b><br>TECHNICAL FEATURES /<br>CARACTERÍSTICAS TÉCNICAS              | <i>pag. 40</i> |
| <b>06.</b><br>TECHNICAL DRAWINGS /<br>DIBUJOS TÉCNICOS                      | <i>pag. 42</i> |
| <b>07.</b><br>RECOMMENDATIONS /<br>RECOMENDACIONES                          | <i>pag. 43</i> |



**SB**  
11,6x11,6cm / 4.6"x4.6"

**P** **\$** W32 (Matt & White Gloss)  
W41 (Gloss)



SB White Gloss



SB Turques Gloss




SB Honey Gloss



SB Olive Gloss



SB Teal Gloss



SB Indigo Gloss



SB Biscuit Matt



SB Tan Matt



**SB** Tan Matt  
**SB** Turques Gloss



**SB**  
12,5x25 cm / 5"x10"



SB White Matt



SB Sand Matt



SB Grey Matt



SB Blush Matt




SB Sage Matt



SB Teal Matt



SB Berry Matt



**SB** Grey Matt  
**SB** White Matt



**SB**  
12,5x25 cm / 5"x10"

W W32



SB Deep White



SB Greige



SB Mineral Grey



SB Coral



SB Fern




SB Royal Green



SB Peacock Blue



SB Ebony



**SB Coral**  
**SB Deep White**







**SB Ebony**  
**Fayenza Square Ebony**

◀ **SB Blush Matt**

*Floor Tiles: **Solid** Chalk S & Basalt XS*



**SB Sage Matt**  
**Grace Sage Matt**

**SB Greige** ▶  
**Fayenza Greige**

Floor Tiles: **Bejmat Square Tan Matt**





SB Indigo Gloss

◀ SB Grey Matt

Floor Tiles: Contempo Strip Oak  
(Love Affairs Collection)

**SB Sand Matt** ▶  
**Grace Sand Matt**





SB Biscuit Matt

SB Tan Matt ▶  
SB Teal Gloss





DB Deep White

SB Teal Matt  
◀ Floor Tiles: Color Drops Off White



SB Berry Matt

SB Mineral Grey ▶


Floor Tiles: Concrete Strip Ash Grey  
(Love Affairs Collection)





SB Fern ▶





SB Honey Gloss

Floor Tiles: **Bejmat** Square Tan

◀ SB Peacock Blue

Floor Tiles: **Tesseræ** Play Blanc





SB White Gloss









SB Olive Gloss









### HOW TO CREATE ROUNDED CORNERS



















◀ **SB Royal Green**  
**Fayenza Square** Royal Green



|                     |  |  | KG  | M2  |  | M2  |
|---------------------|---|---|--|--|---|--|
| Modelo              | Formato (cm)  | Piezas / Caja   | Kg / Caja  | m2 / Caja  | Cajas / Palet   | m2 / Palet   |
| SB (PORCELAIN BODY) | 11,6X11,6 cm  | 30  | 9,073 kg   | 0,400 m <sup>2</sup>   | 95  | 38,000 m <sup>2</sup>  |
| SB (WHITE BODY)     | 12,5x25 cm  | 14  | 7,246 kg   | 0,438 m <sup>2</sup>   | 138   | 60,444 m <sup>2</sup>  |

|                     |  |  | LB  | FT2  |  | FT2  |
|---------------------|---|---|--|---|---|---|
| Model               | Format (in)   | Pieces / Box  | Lb/ box  | sq ft / Box   | Boxes / Pallet  | sq ft / Pallet  |
| SB (PORCELAIN BODY) | 4.6"x4.6"   | 30  | 20.002 lb  | 4.306 ft <sup>2</sup>   | 95  | 409.07 ft <sup>2</sup>  |
| SB (WHITE BODY)     | 5"x10"  | 14  | 15.974 lb  | 4.715 ft <sup>2</sup>   | 138   | 650.67 ft <sup>2</sup>  |

| MODEL / MODELO   | PRICE CODE / CODIGO TARIFA |
|------------------|----------------------------|
| SB BISCUIT MATT  | W34                        |
| SB TAN MATT      | W34                        |
| SB WHITE GLOSS   | W34                        |
| SB TURQUES GLOSS | W41                        |
| SB HONEY GLOSS   | W41                        |
| SB OLIVE GLOSS   | W41                        |
| SB TEAL GLOSS    | W41                        |
| SB INDIGO GLOSS  | W41                        |
| SB WHITE MATT    | W34                        |
| SB SAND MATT     | W34                        |
| SB GREY MATT     | W34                        |
| SB BLUSH MATT    | W34                        |
| SB SAGE MATT     | W34                        |
| SB TEAL MATT     | W34                        |
| SB BERRY MATT    | W34                        |
| SB DEEP WHITE    | W34                        |
| SB GREIGE        | W34                        |
| SB MINERAL GREY  | W34                        |
| SB CORAL         | W34                        |
| SB FERN          | W34                        |
| SB ROYAL GREEN   | W34                        |
| SB PEACOCK BLUE  | W34                        |
| SB EBONY         | W34                        |

| <b>Porcelain tiles with water absorption B Ia ≤ 0,5% for interior and exterior floors and walls.</b><br>Baldosas cerámicas prensadas en seco con absorción de agua B Ia ≤ 0,5% para suelos y paredes interiores y exteriores. |   |                          |
|---|---|--------------------------|
| FEATURES / CARACTERÍSTICAS  | SPECIFICATION / ESPECIFICACIÓN  | NORMA                    |
|  Dimensional Features  | 116 mm +/- 0,6% x 116 mm +/- 0,6%                                       | UNE-EN ISO 10545-2:1998  |
|  Water absorption  | ≤ 0,5%  | UNE-EN ISO 10545-3:1997  |
|  Modulus of rupture and breaking strength   | Minimum 35 N/mm <sup>2</sup><br>Individual Minimum 32 N/mm <sup>2</sup> | UNE-EN ISO 10545-4:2012  |
|  Crazing resistance  | Pass  | UNE-EN ISO 10545-11:1997 |
|  Household products resistance   | GA  | UNE-EN ISO 10545-13:1998 |
|  Chemical resistance   | GHA (Matt & White Gloss)<br>GLB (Gloss)<br>GHB (Gloss)                  | UNE-EN ISO 10545-13:1998 |
|  Stain resistance  | 5   | UNE-EN ISO 10545-14:1998 |
|  Porcelain Body  | -   |                          |

| <b>Technical features for Dry-Pressed ceramic tiles with water absorption BIII (Eb &gt;10%)</b><br>Características técnicas para las baldosas cerámicas prensadas en seco del grupo BIII (Eb >10%) |  |                          |
|--|--|--------------------------|
| FEATURES / CARACTERÍSTICAS   | SPECIFICATION / ESPECIFICACIÓN   | NORMA                    |
|  Dimensional Features   | 125 mm +/- 0,75 mm x 250 mm +/- 0,75mm   | UNE-EN ISO 10545-2:1998  |
|  Water absorption   | >10%   | UNE-EN ISO 10545-3:1997  |
|  Modulus of rupture and breaking strength  | Thickness ≥ 7,5 mm mínimo 12 N/mm <sup>2</sup><br>Thickness < 7,5 mm mínimo 15 N/mm <sup>2</sup> | UNE-EN ISO 10545-4:2012  |
|  Crazing resistance   | Pass   | UNE-EN ISO 10545-11:1997 |
|  Household products resistance  | GA   | UNE-EN ISO 10545-13:1998 |
|  Chemical resistance  | GHA  | UNE-EN ISO 10545-13:1998 |
|  Stain resistance   | 5  | UNE-EN ISO 10545-14:1998 |
|  White Body   | -  |                          |



**WARNING! ¡ATENCIÓN!**

The size of the piece may vary depending on the colour. We do not recommend using compositions that mix different colours.  
 El tamaño de la pieza puede variar dependiendo del color. No recomendamos utilizar composiciones que mezclen diferentes colores.

**WAREHOUSING**

In order to guarantee the characteristics of the finish the product must be kept in its original packaging until the time of fixing. If the product is likely to be stored for a long period of time it should be suitably covered.

**TILE FIXING**

To ensure the products adhere correctly to the surface, it is essential to use specific adhesive and grouting material. This must also be suitable for the environment they will have to withstand. Fitting with traditional mortars does not ensure good adhesion.

Due to the nature of the material there may be dimensional variations between pieces. Therefore, all types of joints must be planned and carried out correctly: structural, perimeter, expansion and installation joints. Fitting tiles without joints is not advisable from any technical point of view as this may lead to various problems.

For an optimal result that enhances the mosaic effect, we recommend using 1,5 mm (0.06") of joint, as well as a joint color that contrasts with the tone of the piece.

We do not recommend using a grout color similar to the piece.

**MAINTENANCE AND CLEANING**

Once the materials have been fitted, it is advisable to remove any remaining adhesive and grouting material by using a commercial descaling product designed especially, diluted with water. The descaling product must not remain in contact with the surface to be cleaned for more than 5 minutes.

As a general guideline, powder detergents should not be used, not wire wool or abrasive materials. Generally a sponge will be sufficient with warm water and liquid neutral soap. Then rinse with plenty of clean water.

**WARNING!**

Due to the glaze specifications of colours: SB Turques Gloss, SB Honey Gloss, SB Olive Gloss, SB Teal Gloss and SB Indigo Gloss; it is strongly recommended to avoid using these products on kitchen countertops or any other surface where the tiles might be in contact with food.

**ALMACENAMIENTO**

Para garantizar las características de su acabado, el producto debe mantenerse en su embalaje original hasta el momento de la colocación. Si el producto va a permanecer almacenado durante un largo periodo es conveniente hacerlo bajo cubierta.

**COLOCACIÓN**

Para garantizar una buena adhesión al soporte es necesaria la utilización de materiales de agarre y de rejuntado adecuados al ambiente al que vayan a estar sometidos. La colocación con morteros tradicionales no garantiza una buena adhesión.

Debido a la naturaleza del material pueden existir diferencias dimensionales entre piezas. Por ello deberán planificarse y ejecutarse correctamente todo tipo de juntas: estructurales, perimetrales, de dilatación y de colocación. La colocación sin juntas es desaconsejable desde cualquier punto de vista técnico, pudiendo ser el origen de diversas patologías.

Para un resultado óptimo que realce el efecto mosaico recomendamos usar 1,5 mm de junta, así como un color de junta que contraste con el tono de la pieza.

No recomendamos utilizar un color de rejunte similar a la pieza.

**MANTENIMIENTO Y LIMPIEZA**

Finalizada la puesta en obra se recomienda eliminar los restos de materiales de agarre y rejuntado con un desincrustante comercial diseñado expresamente para baldosas cerámicas, rebajado con agua, permaneciendo en contacto con la superficie a limpiar no más de 5 minutos.

Como norma general no deben utilizarse detergentes en polvo ni estropajos metálicos o abrasivos. Generalmente será suficiente con una esponja, agua tibia y un jabón líquido neutro. Posteriormente aclarar con abundante agua limpia.

**¡ATENCIÓN!**

Debido a las características de los colores SB Turques Gloss, SB Honey Gloss, SB Olive Gloss, SB Teal Gloss and SB Indigo Gloss; se recomienda encarecidamente evitar el uso de estos productos en encimeras de cocina o cualquier otra superficie donde los azulejos toquen directamente los alimentos.

Designed by



Polígono Pont, Avda. de España 114  
12180 Cabanes,  
Castellón (Spain)  
t. +34 964 331 910 / f. +34 964 331 911

wowdesigneu.com  
comercial@wowdesigneu.com



---

**©2023 Tendencias Cerámicas**

WOW, registered trademark of Tendencias Cerámicas, S.L.

The brand use or reproduction of the contents of this catalog, is protected by copyright law. Any use of the brand or reproduction thereof, in part or total, must be authorized by Tendencias Cerámicas, S.L. Otherwise, this action can be sanctioned according to the Law.

---

**©2023 Tendencias Cerámicas**

WOW, marca registrada por Tendencias Cerámicas, S.L.

La utilización de la marca o la reproducción del contenido de este catálogo está protegida por la Ley de Propiedad Intelectual. Cualquier uso de la marca o la reproducción del mismo, en parte o en su totalidad, debe ser autorizada por Tendencias Cerámicas, S.L., pudiendo, en caso contrario, ser esta acción sancionada de acuerdo con la Ley.

---

WOW reserves the right to modify and/or discontinue certain models displayed in this catalogue.

The colour of the pieces displayed herein may differ slightly from originals.

The settings shown in this catalogue are design proposals for advertising purposes.

In real situations in which the pieces are laid, the installation instructions published by WOW should be followed.

---

WOW se reserva el derecho de modificar y/o suprimir ciertos modelos expuestos en este catálogo sin previo aviso.

Los colores de las piezas pueden presentar ligeras diferencias respecto a las originales.

Los ambientes que se muestran en este catálogo son sugerencias decorativas de carácter publicitario, debiéndose utilizar en la instalación real las instrucciones de colocación editadas por WOW.

